



ACUSON P50™ Ultrasound System

Transducers

Release 2.0

www.siemens.com/healthcare

SIEMENS



4V2 Transducer

Frequency Range:	1.67 - 4.0 MHz
Exam Types:	Adult Echo, Abdomen, Renal

Design Attributes:

- Light weight transducer with flexible cable
- Ergonomically designed form factor
- Wide bandwidth phased array transducer
- User selectable MultiHertz™ multiple frequency imaging



7L3 Transducer

Frequency Range:	3.0 - 9.0 MHz
Exam Types:	Peripheral Vascular

Design Attributes:

- Light weight transducer with flexible cable
- Ergonomically designed form factor
- Wide bandwidth linear transducer
- User selectable MultiHertz multiple frequency imaging
- Trapezoid imaging



12L5 Transducer

Frequency Range:	4.8 - 12.0 MHz
Exam Types:	Peripheral Vascular, Cerebrovascular

Design Attributes:

- Light weight transducer with flexible cable
- Ergonomically designed form factor
- Wide bandwidth linear transducer
- User selectable MultiHertz multiple frequency imaging
- Trapezoid imaging



12HL7 Transducer

Frequency Range:	6.0 - 12.0 MHz
Exam Types:	Peripheral Vascular, Cerebrovascular

Design Attributes:

- Light weight transducer with flexible cable
- Ergonomically designed form factor
- Wide bandwidth linear transducer



Aux CW Transducer

Frequency Range:	2 MHz
Exam Types:	Adult Echo



AcuNav 8F*

Frequency Range:	3.0 - 10.0 MHz
Exam Types:	Adult Intracardiac Echocardiography

Design Attributes:

- 8 french catheter (2.7 mm diameter)
- 110 cm insertable length
- Sterile, single-use advanced miniaturization ACUSON AcuNav™ ultrasound catheter family
- Resuable SwiftLink™ catheter connector
- Four-way steering in two planes: 160° in each direction
- Longitudinal side-fire imaging

* For purchase or inquire, contact Biosense Webster (909-839-8500 and 800-729-9010), Belgium (32-2-352-1411), Asia Pacific (65) 6827-6100



AcuNav 10F*

Frequency Range:	3.0 - 10.0 MHz
Exam Types:	Adult Intracardiac Echocardiography

Design Attributes:

- 10 french catheter (3.3 mm diameter)
- 90 cm insertable length
- Sterile, single-use advanced miniaturization ACUSON AcuNav ultrasound catheter family
- Resuable SwiftLink catheter connector
- Four-way steering in two planes: 160° in each direction
- Longitudinal side-fire imaging
- Vector™ wide-view imaging format phased array
- DTI™ Doppler tissue imaging capability

* For purchase or inquire, contact Biosense Webster (909-839-8500 and 800-729-9010), Belgium (32-2-352-1411), Asia Pacific (65) 6827-6100

Local Contact Information

Siemens Medical Solutions USA, Inc.
 51 Valley Stream Parkway
 Malvern, PA 19335-1406 USA
 Telephone: +1-888-826-9702
www.usa.siemens.com/healthcare

Europe: +49 9131 84-0
 Asia Pacific: +65 6490 6000
 Latin America: +1 786-845-0697

Global Business Unit Address

Siemens Medical Solutions USA, Inc.
 Ultrasound
 1230 Shorebird Way
 P.O. Box 7393
 Mountain View, CA 94039-7393 USA
 Telephone: +1-888-826-9702
www.siemens.com/healthcare

ACUSON, AcuNav, DTI, MultiHertz, SwiftLink, P50 and Vector are trademarks of Siemens Medical Solutions USA, Inc.

Global Siemens Headquarters

Siemens AG
 Wittelsbacherplatz 2
 80333 Munich
 Germany

Global Siemens Healthcare Headquarters

Global Siemens AG
 Healthcare Sector
 Henkestrasse 127
 91052 Erlangen
 Germany
 Telephone: +49 9131 84-0
www.siemens.com/healthcare

Legal Manufacturer

Siemens Medical solutions USA, Inc.
 Ultrasound
 1230 Shorebird Way
 Mountain View, CA 94043 USA
 Telephone +1-888-826-9702
www.siemens.com/healthcare

www.siemens.com/healthcare